MOVAWALL

Serenity Timber Slatted Acoustic Panels



Our Serenity Timber Slatted Acoustic panels act as a sound absorbing product to eliminate echo and reverberation around the working environment.

Movawall Systems Ltd
info@movawall.co.uk

www.movawall.co.uk
Scottish Office: 01292 265 273 / **Northern Office:** 07703 322 082

Overview

The 9mm thick backing material is a compressed polyester panel manufactured using post-consumer recycled polyester from plastic bottles, supplied in black. Choose from a selection of veneer; Light Oak, Smoke Oak, Walnut, Charcoal Grey & Grey Oak.

Standard size panels are 605mm wide x 2400mm high x 22mm deep, but can be cut down and cutouts can be provided to accommodate light switches and sockets. Light Oak also available in 3000mm lengths.

Features

Core Material: Compressed Polyester finished in veneered MDF
Acoustic Performance: Sound Absorption Class: 40mm / Air Gap = Class A, Direct to Wall = Class D
Suspension: Direct to wall or battens
Weight: 9kgs/m2
Fire: Core board has been tested and offers Class I fire rating to BVS476: Part 6.
Sizes: 1,200mm x 200mm x 40mm / 1,200mm x 300mm x 40mm / 1,800mm x 200mm x 40mm / 1,800mm x 300mm x 40mm / 2,400mm x 200mm x 40mm / 2,400mm x 300mm x 40mm
Optional: Upgrade real wood timber slats / fire rated timber







Colours



Charcoal Grey



Grey Oak




Light Oak




Smoked Oak



Walnut





MOVAWALL

www.movawall.co.uk
info@movawall.co.uk

Scottish Office

01292 265 273

Movawall Scotland
11 Wellington Square,
Ayr, KA7 1EN

Head Office

020 8391 8750

London Wall Design Ltd,
63 Barwell Business Park,
Chessington, KT9 2NY

Northern Office

07703 322 082

Movawall Systems Ltd,
Unit 15 Bridge House Business Centre,
Harrow Road, Bolton, BL1 4NH