
MOVAWALL

Type 100



Movawall Type 100 is the top of the range and market leader in the world of movable walls. It consists of individually operated top hung panels requiring no floor tracks. Purpose made panels can be manufactured to clients specific requirements, offering total space flexibility, long lasting use and high standards of finishes, sound reduction and durability.

Movawall Systems Ltd
info@movawall.co.uk

www.movawall.co.uk
Scottish Office: 01292 265 273 / **Northern Office:** 07703 322 082

Overview

The Type 100 is ideal for use in hotels, conference centres, lecture theatres, civic halls, meeting rooms and office environments.

It is particularly adaptable to the demands of complex multi-functional usage requirements for both corporate and public environments regardless of size, finish or acoustic properties.

- Heavy duty, top-hung, individual panels
- Manual, semi or fully electric operation
- Sound reduction up to Rw 60dB
- Extensive stacking options





Features

Height: Up to 10,000mm (higher on request)
Panel Width: Upto 1,250mm (wider on request)
Sound Reduction: Up to Rw 60dB
Panel Thickness: 105mm
Suspension method: Top hung, no floor track
Operation Mode: Manual, semi-electric or fully electric
Panel Type: Individual panel
Seal Type: Quick action worm screw drive/electric
Panel Construction: Steel twist resistant frame
Panel Weight: 63kg/m2
Fireproof Qualities: Class 1, Class 0, F30, F60
Pass Door Panels: Full Height, Single Inset, Double Inset
Usage: Internal and semi-external
Panel Edges: Exposed or concealed, SAA or powder coated
Panel Finishes: Laminate, HP Laminate, Veneer, Fabric, Steel, Whiteboard, Magnetic whiteboard
Other Options: Curved, Glazed cut outs


Stacking Options: TL1 ('E' system), TL2 ('Za' system) TL3 ('Zb' system), TL4 ('Z' system), TL5 ('K' system) TL6 ('K' system), TL7 ('K' system), TL8 ('K' system)












Service & Maintenance


Our fully trained service engineers are on hand to help maximise efficiency and working life of your installation.

Talk to a member of our team:
info@movawall.co.uk


Track & Panel Layouts




TL1 ('E' System)




TL2 ('Za' System)




TL3 ('Zb' System)



TL4 ('Z' System)




TL5 ('K' System)




TL6 ('K' System)

Panels stacked behind reveal.



TL7 ('K' System)


Panels stacked inside wall recess.




TL8 ('K' System)

Panels stacked in branches to one or both sides.


Panel Details




Vertical Section Through Standard Panel (NE)



Horizontal Section Through Standard Panel (NE) - Exposed edge protection profile



Horizontal Section Through Standard Panel (NE) - Concealed edge profile



Horizontal Section Through Telescopic Panel (TE) & Wall Jambs (WL + WAL)



MOVAWALL

www.movawall.co.uk
info@movawall.co.uk

Scottish Office

01292 265 273

Movawall Scotland
11 Wellington Square,
Ayr, KA7 1EN

Head Office

020 8391 8750

London Wall Design Ltd,
63 Barwell Business Park,
Chessington, KT9 2NY

Northern Office

07703 322 082

Movawall Systems Ltd,
Unit 15 Bridge House Business Centre,
Harrow Road, Bolton, BL1 4NH