MOVAWALL

Type GG



Type GG system offers the clearest possible unbroken vision in a sliding partition, ideal for situations where space needs to be divided into inviting, viewable rooms, such as shop fronts, showrooms, waiting areas, church halls and other areas that do not necessarily require sound reduction properties.

Movawall Systems Ltd
info@movawall.co.uk

www.movawall.co.uk
Scottish Office: 01292 265 273 / **Northern Office:** 07703 322 082

Overview

The all glass top hung individual panels can be moved manually or electronically without the need for floor tracks. All panels are locked to each other and/or the floor offering security and stability.

- Non-acoustic, frameless glass
- Top and bottom rails
- Optional vertical trims
- Glass sliding partition system












Features

Height: Up to 4,000mm
Panel Width: Upto 1,200mm
Sound Reduction: Non acoustic
Panel Weight: Up to 40kg/m2
Panel Thickness: 32mm rail/10-12mm toughened glass
Suspension Method: Twin point suspension
Operation Mode: Manual
Panel Type: Individual panel
Seal Type: Optional sweep strips
Panel Construction: Top, bottom and side rails only
Pass Door Panels: Full height pivoting and single or double inset
Usage: Internal
Panel Edges: Slim vertical magnetic profile
Frame Finishes: SAA, stainless steel or powder coated to RAL
Other Options: Faceted layout, single or double pass doors

Stacking Options: 'EE' Junction Panel with 'K' & 'E' Track, Inset Pass Door on 'K' Track, Remote 'K' Track, Offset 'K' Track, Double 'K' Track







MOVAWALL

www.movawall.co.uk
info@movawall.co.uk

Scottish Office

01292 265 273

Movawall Scotland
11 Wellington Square,
Ayr, KA7 1EN

Head Office

020 8391 8750

London Wall Design Ltd,
63 Barwell Business Park,
Chessington, KT9 2NY

Northern Office

07703 322 082

Movawall Systems Ltd,
Unit 15 Bridge House Business Centre,
Harrow Road, Bolton, BL1 4NH